



AELA P/P

FAEPB1 - BIANCO - WHITE

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led Integrato

Power: 30W+6W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 1800-1900lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: D

Volume: 0,0174m³

Gross Weight: 3.10 Kg

Net Weight: 2.30 Kg





AELA P/P

FAEPN1 - NERO - BLACK

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led Integrato

Power: 30W+6W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 1800-1900lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: D

Volume: 0,0174m³

Gross Weight: 3.10 Kg

Net Weight: 2.30 Kg





AELA P/P

FAEPO1 - ORO - GOLD

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led Integrato

Power: 30W+6W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 1800-1900lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: D

Volume: 0,0174m³

Gross Weight: 3.10 Kg

Net Weight: 2.30 Kg





AELA P/P

FAEPA1 - ARANCIO-BRUCIATO

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led Integrato

Power: 30W+6W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 1800-1900lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: D

Volume: 0,0174m³

Gross Weight: 3.10 Kg

Net Weight: 2.30 Kg





AELA P/P

FAEPBE1 - NEW-BEIGE

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led Integrato

Power: 30W+6W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 1800-1900lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: D

Volume: 0,0174m³

Gross Weight: 3.10 Kg

Net Weight: 2.30 Kg





AELA P/P

FAEPP1 - PESCA

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led Integrato

Power: 30W+6W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 1800-1900lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20

Insulation Class: I

Energy Class: D

Volume: 0,0174m³

Gross Weight: 3.10 Kg

Net Weight: 2.30 Kg

