



ECARIS P/P

FECPA1 - ARANCIO-BRUCIATO

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 38W+8W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2200lm-2300lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: E

Volume: 0,0210m³

Gross Weight: 3.55 Kg

Net Weight: 2.75 Kg





ECARIS P/P

FECPB1 - BIANCO - WHITE

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 38W+8W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2300lm-2400lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: E

Volume: 0,0210m3

Gross Weight: 3.55 Kg

Net Weight: 2.75 Kg





ECARIS P/P

FECPN1 - NERO - BLACK

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 38W+8W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2200lm-2300lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: E

Volume: 0,0210m³

Gross Weight: 3.55 Kg

Net Weight: 2.75 Kg





ECARIS P/P

FECPBE1 - NEW-BEIGE

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 38W+8W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2200lm-2300lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: E

Volume: 0,0210m³

Gross Weight: 3.55 Kg

Net Weight: 2.75 Kg





ECARIS P/P

FECPO1 - ORO - GOLD

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 38W+8W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2200lm-2300lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20


Insulation Class: I

Energy Class: E

Volume: 0,0210m3

Gross Weight: 3.55 Kg

Net Weight: 2.75 Kg





ECARIS P/P

FECPP1 - PESCA

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 38W+8W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2200lm-2300lm

Color Temperature: 3000K-4000K

Light Beam: 120° _ Biemissione

CRI: >80

Lifespan: 30.000h

IP Rating: IP20

Insulation Class: I

Energy Class: E

Volume: 0,0210m³

Gross Weight: 3.55 Kg

Net Weight: 2.75 Kg

